Goldfield Water Supply • 2023 Water Quality Report

2023 WATER QUALITY REPORT FOR GOLDFIELD WATER SUPPLY

This report contains important information regarding the water quality in our water system. The source of our water is groundwater. Our water quality testing shows the following results:

CONTAMINANT MCL-(MCLG)		Compliance		Date	Violation	Source				
		Type	Value & (Range)		Yes/No					
Total Trihalomethanes (ppb) [TTHM]	80 (N/A)	LRAA	26.00 (26-26)	09/30/2023	No	By-products of drinking water chlorination				
Copper (ppm)	AL=1.3 (1.3)	90th	0.18 (0.06-0.19)	2023	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives.				
Lead (ppb)	AL=15 (0)	90th	2.00 (ND - 4)	2023	No	Corrosion of household plumbing systems; Erosion of natural deposits				
950 - DISTRIBUTION SYSTEM										
Chlorine (ppm)	MRDL=4.0 (MRDLG)=4.0)	RAA	0.9 (0.51-1.2)	12/31/2023	No	Water additive used to control microbes				
02 - S/EP WELLS #2, #3-TREATED										
Gross Alpha, inc (pCi/L)	15 (0)	SGL	2.4	02/13/2023	No	Erosion of natural deposits				
Arsenic (ppb)	10 (0)	SGL	1.00	08/15/2022	No	Erosion of natural deposits; Runoff from orchards; Run off from glass and electronic production wastes				
Fluoride (ppm)	4 (4)	SGL	0.39	08/15/2022	No	Water additive which promotes strong teeth; Erosion of natural deposits; Discharge from fertilizer and aluminum factories				
Sodium (ppm)	N/A (N/A)	SGL	31	08/10/2023	No	Erosion of natural deposits; Added to water during treatment process				
Nitrate [as N] (ppm)	10 (10)	SGL	0.7246	2023	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits				

Note: Contaminants with dates indicate results from the most recent testing done in accordance with

regulations. **DEFINITIONS**

Maximum Contaminant Level (MCL) – The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level

Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a

- margin of safety. • ppb - Parts Per Billion
- ppm Parts Per Million
 pCi/L Picocuries Per Liter
- NA Not Applicable
- ND Not Detected
 RAA Running Annual Average • Treatment Technique (TT) - A re-
- quired process intended to reduce the level of a contaminant in drink-• Action Level (AL) – The concentra-

tion of a contaminant which, if exceeded, triggers treatment or other taminants.

SGL – Single Sample Result

Rule • NTU - Nephelometric Turbidity

GENERAL INFORMATION

Safe Drinking Water Hotline (800-426- 4791). Some people may be more vulnera-

If present, elevated levels of lead

essary for control of microbial con-

• RTCR - Revised Total Coliform

Units

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water posed a health risk. More information about contaminants or potential health effects can be obtained by calling the Environmental Protection Agency's

ble to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. GOLDFIELD WATER SUPPLY is responsible for providing high qual-

PUBLIC NOTICE

REGION V REGIONAL PLANNING AFFILIATION

PUBLIC INPUT MEETING The Region V Regional Planning Affiliation (RPA) will hold a public input meeting on the FFY 2025-2028 Regional Transportation Improvement Program (2025-2028 RTIP). The RTIP is a document produced annually that identifies all transportation projects member govern-ments of the Region V RPA plan to implement using federal funds over the next four years. Region V includes the following counties: Calhoun, Hamilton, Humboldt, Pocahontas, Webster and Wright and the cities within these counties. The FFY 2025-2028 RTIP is available by contacting Stacy Lentsch at MIDAS Council of Governments, (515) 576-7183 ext. 212 or email at slentsch@midascog.net.

Written comments should be received by July 11, 2024, at 12:00 PM. Please submit all written comments to: Region V Regional Planning Affiliation, 602 1st Avenue South, Fort Dodge, IA 50501, or email to slentsch@midascog.net. RTIP PUBLIC INPUT MEETING

July 11, 2024 2:00 PM **MIDAS Building** 602 1st Avenue South Fort Dodge, IA 50501

If you have any special needs pertaining to this meeting requests must be made 48 hours in advance of the meeting. Please contact Stacv Lentsch. MIDAS Council of Governments at (515) 576-7183 ext. 212 or slentsch@midascog.net with requests or for more information.

Published in the Eagle Grove Eagle on Thursday, July 4, 2024

of a disinfectant allowed in drinking water. There is convincing evidence

Published in the Eagle Grove Eagle on Thursday, July 4, 2024

requirements which a water system

Maximum Residual Disinfectant

Level Goal (MRDLG) - The level of a drinking water disinfectant below

which there is no known or expect-

ed risk to health. MRDLGs do not reflect the benefits of the use of

disinfectants to control microbial

Maximum Residual Disinfectant

Level (MRDL) - The highest level

that addition of a disinfectant is nec-

must follow.

contaminants.

Eagle Grove Community School District Board of Directors Minutes • June 10, 2024

EAGLE GROVE COMMUNITY SCHOOL DISTRICT EAGLE GROVE, IOWA 50533 MINUTES OF MONTHLY MEET-ING OF BOARD OF DIRECTORS MONDAY, June 10, 2024 CALL TO ORDER: The Eagle

Grove Community School District Board of Education met in regular session on Thursday, June 24, 2024 at 12:00 PM in the board meeting room at the Emerson Building with President Tracy Crail presiding. Members present were: Directors A. Capsel, D. Robinson, A. Parrott and A. Willard. Others present: Superintendent J. Toliver.

APPROVAL OF AGENDA: Motion

by Director A. Capsel, seconded by Director A. Willard, to approve the proposed agenda. The motion carried. Ayes: A. Capsel, T. Crail, A. Willard, D. Robinson, A Parrott.

Nays: None. APPROVAL OF CONSENT ITEMS: Motion by Director D Robinson, seconded by Director A. Parrottl, to approve the monthly bills; resignation from Samantha Christensen, (ELEM Teacher); Contracts for Madison Wilde (MS and HS Health), Amy Ascherl (Updated to MA 15). Ayes: A. Capsel, T. Crail, A. Willard, D. Robinson, A Parrott.

PURCHASES OVER \$25,000: Motion by D Robinson, seconded by A. Parrott to approve the following purchases over \$25,000- Purchase of Gym Lighting From Voss Light-

ing for \$44,950. Ayes: A. Capsel, T. Crail, A. Willard, D. Robinson, A Parrott. Nays: None. ADJOURN: Motion by Director A. Parrott, seconded by Director A Wil-

lard, to adjourn at 12:08 PM. The motion carried. Ayes: A. Capsel, . Crail, A. Willard, D. Robinson, A Parrott. Nays: None. Reports and documents considered

by the Board at this meeting are on file in the Board Secretary's office, 448-4749, Monday through Friday, 8:00 a.m - 4:00 p.m. Superintendent Jess Toliver

Board President Tracy Crail GENERAL FUND BILLS FOR APPROVAL - JUNE 27, 2024 Activity Fund, transfer for protective

Arnold Motor Supply, repair parts... .42.34 Belmond-Klemme CSD, shared Central Iowa Dist., cleaning sup-102.00 Clarion-Goldfield-Dows Schools. open enrollment tuition ... 34,633.14 Clayton Ridge CSD, open enroll-Eagle Grove Schools, wires for

June......30.00 Eagle Pharmacy, supplies 24.20

Elan Financial, meeting exp .

Fort Dodge CSD, open enrollment . 19,895.62 Goldfield Access Network, tele-..... 31.45 pumping grease trap500.00 Hawkeye West Pest Control, non-federal share of Medicaid... .. 78,709.92 John Deere Financial, supplies .

Link, Jill, reimb for mail...... Morgan, Victtoria, reimb for tuition.3,227.00 Morningside, tuition3,810.00 Pedersen-Dooley, Alyssa, meeting ... 39.96 exp......39 Postmaster, newsletter postage 277.37 Schild, Josh, reimb for supplies.

> Trash Man, removal service. 1,542.79 Willard, McKristie, meeting exp...78.85 . 186,186.66 OFFICIALS - PREPAID IN JUNE(

June 10- June 28) - APPROVED

rolled student

June 27, 2024 Thurm, Joshua- JV/V Baseball Offi-6/28/2024..... .. 90.00 Official Steil. Chloe-

6/26/2024..... . 90.00 Steil, Chloe- MS Softball Official 6/18/2024......90.00 Steil, Chloe- MS Softball Official 6/14/2024......90.00 Steil, Chloe- JJV Softball Official 6/13/2024......90.00 Steil, Chloe- JJV Softball Official 6/11/2024......90.00 Smith, Michael- JV/V Baseball Offi-.... 188.82 6/10/2024......130.00 Smith, Josh- JV/V Baseball Official51.14 Strain, Kris, transp asst for open en-.....669.00

Official 6/20/2024.....120.00 Richardson, Reggie- JV/V Baseball Osborn, Brooklyn- MS Softball Official 6/26/202490.00 Osborn, Brooklyn- MS Softball Official 6/18/202490.00 Osborn, Brooklyn- MS Softball Official 6/10/202490.00 Osborn, Brooklyn - JJV Softball Official 6/14/202490.00 Osborn, Brooklyn - JJV Softball Official 6/11/2024......90.00 Meyers, Ken- JV/ V Softball Official 6/25/2024......120.00 Meinders, Dave- JV/V Softball Offi-

.. 120.00

Softball Offi-

cial 6/10/2024 120.00 McClellan, Ryan- JV/V Baseball Official 6/20/2024 130.00 Luke, Dewaard- JV/V Baseball Offi-6/13/2024......130.00 Drake, Brenda- JV/V Softball Offi-cial 6/25/2024 130.00 DelValle, Jesus- JV/V Baseball Official 6/13/2024 Clark, Kirk- JV/V ... 130.00 Baseball cial 6/25/2024 Arndorfer, Michael- JV/V . 130.00 Softball Official 6/10/2024......120.00 3,930.00 MANAGEMENT FUND BILLS

ity drinking water, but cannot con-

trol the variety of materials used in

plumbing components. When your

water has been sitting for several

hours, you can minimize the potential for lead exposure by flushing

your tap for 30 seconds to 2 min-

utes before using water for drinking

or cooking. If you are concerned about lead in your water, you may

wish to have your water tested. In-

formation on lead in drinking water.

testing methods and steps you can

take to minimize exposure is avail-

able from the Safe Drinking Water Hotline or at http://www.epa.gov/

SOURCE WATER ASSESSMENT

This water supply obtains its water

from the limestone and dolomite of the Mississippian-Devonian aquifer.

The Mississippian-Devonian aqui-

fer was determined to have low sus-

ceptibility to contamination because

the characteristics of the aquifer

and overlying materials provide nat-

ural protection from contaminants

at the land surface. The Mississip-

pian-Devonian wells will have low

susceptibility to surface contami-

nants such as leaking underground

storage tanks, contaminant spills, and excess fertilizer application. A

detailed evaluation of your source

water was completed by the Iowa

Department of Natural Resources,

and is available from the Water Operator at 515-825-3607.

For questions regarding this infor-

mation or how you can get involved

in decisions regarding the water

system, please contact GOLD-FIELD WATER SUPPLY at 515-

CONTACT INFORMATION

825-3607.

safewater/lead.

INFORMATION

FOR APPROVAL - JUNE 27, 2024 Town & Country Ins, vehicle ins.. .345.00 PPEL FUND BILLS FOR APPROVAL - JUNE 27, 2024 Apple, computers......17,446.00 Central lowa Dist, floor finishing.....1,262.00 Central States Roofing. repairs2,668.76 Crescent Electric, repairs...1,024.61 Epic, furniture 25,783.50

... 5.050.00

Kvale, tree removal.

Menards, repairs...... North Central Iowa Vac, trenching Pagel Repair, repairs..... Plumb Supply, repairs...... 1,713.68 Sherwin Williams, paint 1,810.20 Smith Tree Farm, stump grinding... 50.00 SVPA, architect..... .900.00 .. 66,731.21 ADDITIONAL PAY TO **EMPLOYEES FOR 2023-2024**

......19,391.750.00 PBIS ESY4,175.00 HOME SCHOOL ASST...... SOUND BOOTH..... . 521.25 UMPIRE/REF1,605.00 BUS DRIVER..... .22,422.83 TLC.....TRANSLATOR..... .6.586.59 CUST/SEC SUBBING 10,698.37 DARCI. EARLY SIGNING APPLICATION.... EARLY RESIGNATION... 38,266.10 HEADHUNTER......1,400.00 BUS BONUS

. 233,388.05

Published in the Eagle Grove Eagle on Thursday, July 4, 2024

cial 6/25/2024

McColloch, Dan- JV/V

Wright County Board of Supervisors Minutes • June 17, 2024

June 17, 2024

Chairman Helgevold called the regular meeting of the Wright County Board of Supervisors to order at 9:00 a.m. Members present were Kluss, Rasmussen, and Helgevold Motion by Kluss and seconded by Rasmussen to table the certified salaries for FY2025 until next week and then the tentative agenda was approved. Motion carries.

Minutes of the previous regular meeting of June 10, 2024 were read and approved after one correction.

Brittany Howieson presented the electrical estimates for the courthouse lawn project. There were 3 estimates presented. Howieson will be meeting with the City of Clarion soon about the project costs. Each estimate was with and without a 50 amp unit. It was suggested that the payment of this project be split with the County, City of Clarion, and the Clarion Development Alliance. Hennigar Construction had stated that they are willing to donate all the trenching regardless of who wins the bid. Motion by Kluss and seconded by Rasmussen to approve the payment of 1/3 of the lowest bid on Option A with the infrastructure to bump up to the 50 amps at a later date if needed. Motion carries. Motion by Rasmussen and seconded by Kluss to appoint Rick Brooks to the Conservation Board for a 5 year term to 6/30/2029. Motion carries.

Peggy Schluttenhofer, Wright County Treasurer, presented information to assign a county held tax certificate #2011-11509 again due to the entire notification process before was not fully completed and too much time had lapsed. Motion

by Kluss and seconded by Rasmussen to approve the assignment of tax certificate #2011-11509. Motion carries. Eric Rector, Wright County Conservation Director, presented information on a few of the projects intended for the Conservation park. Rector would like to move from General Basic to Conservation Reserve fund \$35,000 for the completion of sewer work at the Conservation office and Campground area. This was originally budgeted for but did not get completed in this fiscal year.

Motion by Kluss and seconded by Rasmussen to approve Resolution 2024-21 for the interfund operating transfer from general basic to the conservation reserve fund. By roll call vote: Ayes - Kluss, Rasmussen, and Helgevold; nays -

none. Resolution 2024-21 duly passes and reads as follows: **RESOLUTION #2024-21**

RESOLUTION FOR INTERFUND OPERATING TRANSFERS

WHEREAS, according to Section 331.432 of the Code of lowa, the Board of Supervisors shall authorize inter-fund transfers.

WHEREAS, at the June 17, 2024 meeting of the Board of Supervisors, Eric Rector, Conservation Director, presented information on sewer work being done at the Conservation Office and Campground area. Mr. Rector requested that

unused funds from his budget be transferred to the Conservation Reserve Fund for the completion of sewer work. NOW THEREFORE BE IT RESOLVED by the Wright County Board of Supervisors that the Auditor be authorized to transfer of funds during the 2023-2024 budget year, not to exceed the following amounts:

Amount To \$35,000 Conservation Reserve

5,922,316

These moneys are to be used for completion of sewer work at the Conservation Office and Campground area. Passed and approved on this 17th day of June, 2024.

Motion by Kluss and seconded by Rasmussen to approve Resolution 2024-20 on appropriation of money to various departments for fiscal year 2024-2025. By roll call vote: Ayes – Kluss, Rasmussen, and Helgevold; nays – none. Resolution 2024-20 duly passes and reads as follows:

RESOLUTION 2024-20

RESOLUTION TO APPROPRIATE MONEY FOR FY 2024-2025

WHERAS, on April 29, 2024 the Wright County Board of Supervisors did adopt the County Budget for FY 2024-2025; and
WHEREAS, the Board of Supervisors shall appropriate the amounts deemed necessary for each of the county officers and departments during the ensuing fiscal year, as provided by Section 331.434(6) of the Code of Iowa. NOW THEREFORE BE IT RESOLVED by the Wright County Board of Supervisors that the following amounts are hereby appropriated to the various county offices and departments for FY 2024-2025.

	Description	GENERAL BASIC FUND	GENERAL SUPP. FUND	OTHER	RURAL SERVICES FUND	RURAL SUPP. FUND	SEC. ROADS FUND	OTHER	DEBT SERVICE	CAPITAL PROJ.	Budget 2024/2025
01	Board of Supervisors	997,532	607,462	228,000	2,681,331						4,514,325
	Auditor	304,539	219,825								524,364
03	Treasurer	393,434	177,173								570,607
04	County Attorney	292,367	112,866								405,233
	Sheriff	605,396	434,993	13,300	950,926	71,563					2,076,178
	Clerk of Court	100									100
	Recorder	236,604	96,580					21,500			354,684
	Jail	943,324	386,525	47,000							1,376,849
	Drainage							65,809			65,809
	EMS							621,652			621,652
	P&Z	20,405						40.000			20,405
	Law Enfor. Enhanc.	07.400	17.054					19,000			19,000
	Sanitarian	67,193	17,654				7 000 000				84,847
	County Engineer	112,370	35,000				7,999,033				7,999,033
	Veterans Affairs Conservation Board		35,000	E17 200							147,370 1,515,865
	Health Board	808,715	189,950	517,200 859,502				19,000			878,502
	General Relief	24,870	17,713	039,302				19,000			42,583
	Human Services	5,750	17,715								5,750
	Substance Abuse	3,730	23,800								23,800
	Treas-Drivers Lic.	56,974	33,431								90,405
	District Court	20,000	21,000								41,000
	Wr Co Dev. Comm	182,879	37,828	11,210				50,500			282,417
39	Wr Co Dev. Comm	•	•	,				118,250			118,250
40	Tourism/Hist Pres			3,300							3,300
	Resource Center	111,931	33,500								145,431
		397,549	69,010								466,559
	Data Processing	340,384	40,386								380,770
	Communications		249,617	556,514							806,131
99	Nondepartmental								2,730,605	85,600	2,816,205

Motion by Rasmussen and seconded by Kluss to approve the 28E Agreements for unified EMS Ambulance service with lowa Specialty Hospital, Franklin General Hospital Ambulance Service, City of Eagle Grove Ambulance Service, lowa Specialty Hospital – Belmond Ambulance Service, Renwick Ambulance Service, and City of Clarion Ambulance Service. Motion carries. This will start July 1, 2024 and will remain in effect for 15 years. Motion by Kluss and seconded by Rasmussen to approve the 28E Agreement with Humboldt County entailing Wright County to provide Environmental Health services to Humboldt County. Motion carries. Adam Clemon, Wright County Engineer, gave his weekly update on Secondary Roads. The crews continue to spot blade and reclaiming granular on hard surface routes. They are also weed whipping around the culverts and bridges. The 2024 scheduled rock granular program is now 100% completed. Also, the C70 Woolstock Bridge should have the west approach poured by the end of this week then move to the east side.

71,563

7,999,033

915,711

Motion by Rasmussen and seconded by Kluss to adjourn the meeting. Motion carries. Karl Helgevold, Chairman, Wright County Board of Supervisors Betty Ellis, Wright County Auditor

2,804,313

2,236,026

3,632,257